INDEX TO VOLUME 74

New names and epithets are printed in **bold-face**. Numbers in **bold-face** refer to pages on which taxonomic descriptions, or illustrations appear; numbers in *italic* to pages on which the names in question are cited as synonyms. Initial "the" and "a (an)" are omitted from titles of articles for purposes of alphabetizing. Names of contributors are in CAPITALS.

Abbreviations of periodicals cited in the Index to American botanical literature, 348–356

Abuta bullata, 380; *candollei*, 380; *columbiana*, 380; *grandifolia*, 380, 381; *grisebachii*, 380; *macrocarpa*, 380; *obovata*, 380; *rufescens*, 380; *selloana*, 380; **soukupi, 380–382**; *splendida*, 380

Acanthophora spicifera, 385; 396

Acrochaetium comptum, 392

Actinomycetes, production of antiphage agents by, 9–19

Aerobacter sp., 10

Agar, effect of concentration of on growth and reproduction of *Protosiphon botryoides*, 23–25

Agastache scrophulariaefolia, 262

Agrocybe dura, 482, 490, 492, 495, 496, 502; *semiorbicularis*, 479, 482, 488

Agropyron cristatum, 99; *smithii*, 99

AJELLO, LIBERO: Minutes of the meeting [of the Club], 87, 183–186, 263, 264, 345, 346, 427, 428

Alaska and Yukon species of *Rubus* subgenus *Cylactis* Focke, 255, 256

Algae from Brazil, 383–397

Algae of the Philippines, 121–132

Allionia nyctaginea, 520

Allium, 346, 469, 470; *cepa*, 279, 280, 443, 456

Alnicola escharoides, 482, 486; *melinoides*, 482, 486

Amansia multifida, 385, 397

Amellus villosus, *149*

Amphiroa beauvoisii, 394; *fragilissima*, 389, 393, 394

Anacardium pumilum, 250n

Anadyomene stellata, 285, 387

ANDERSON, H. W.: Morphological and physiological factors in streptomycin production, 293

ANDERSON, J. P.: Alaska and Yukon species of *Rubus* subgenus *Cylactis* Focke, 255

Andromeda glaucophylla, 519

Andropogon furcatus, 99

Anomochloa, 232, 237; *marantoides*, leaf anatomy of, 232–239

Anomosperum chloranthum, 379; *reticulatum*, 379; *schomburgkii*, 379

Anopheles albimanus, plants of importance in the breeding of, 257–261; *triannulatus*, 258

Antibacterial activity of 500 Basidiomycetes, 476–503

Aphanomyces laevis, 334, 335, **337**, 344

Apparently new record of *Globulinea gigantea* Ulke, 87

Aquilegia canadensis, 519

Arachis diogoi, 250n; *marginata*, 250n; sp. 250

Arctium, 419

Arenaria aberrans, 39, 40, 43; *aculeata*, 38–40, 42, 43, 55; var. *utahensis*, *54*; *burkei*, 47; *capillaris*, 38, 41, 44, 54; subsp. **americana**, 38, 39, 40, **41, 42**, 47; subsp. **capillaris, 41**; subsp. *formosa*, *41*; subsp. *uintahensis*, 39; var. *ursina*, *43*; ε *formosa*, *41*; ζ *nardifolia*, *41*; *cephaloidea*, *46*; *congesta*, 39, 40, 44, 47, 48, 52; var. **cephaloidea**, 45, **46**; var. *charlestonensus*, 45, 47; var. **congesta**, 44, **45**, 46, 47; var. **crassula**, 44, **45**; var. **expansa**, 44, **45**, 47; var. *macradenia*, *51*; var. *parishiorum*, *52*; *var.* **prolifera**, 45, 46, **47**; var. **simulans**, 45, **48**; var. *suscongesta*, 45, 47; var. *suffrutescens*, 44, 46; var. **wheelerensis** 45, **48**; *eastwoodiae*, 39, 40, 50; var. *adophora*, 50; var. **eastwoodiae**, **50**; *fendleri*, 39, 40, 44, 48, *49*; subsp. *brevifolia*, *49*; subsp. *genuina*, *49*; var. **brevifolia**, 48, **49**; var. *diffusa*, 48, 49; var. **fendleri**, 48, **49**; var. *glabrescens*, *47*, *51*, *53*; var. *porteri*, 48, 49; var. *subcongesta*, *47*; var. **tweedyi**, 48, **50**; *fendleri brevifolia* var. *brevicaulis*, *50*; *formosa*, *41*, 42; *franklinii*, 39, 41, 55; var. *hookeri*, *56*; β *minor*, *55*; *glabrescens*, *47*; *hookeri*, 41, 56; var. **pinetorum**, **53**; var. **typica**, **56**; *kingii*, 39, 41, 42, 44, 52; subsp. **compacta**, 47, **53**, 55; subsp. **kingii, 53**; var. **glabrescens**, 52, **53**; var. **kingii**, 52, **53**; subsp. **plateauensis**, 53, **54**, **55**; subsp. *rosea*, 43, 55; subsp. **uintahensis**, 53, **54**; var.

glabrescens, 47; *kuschei*, *51*; *laxiflora*, *49*; *macradenia*, 39, 41, 50, *51*; subsp. *ferrisiae*, 51, 52; subsp. *macradenia*, 50, 51; subsp. *macradenia* var. **arcuifolia, 51**; var. **kuschei, 51**; var. *macradenia*, 51; var. *parishiorum*, 51, 52; *nardifolia*, *pumicola*, 39, 40, 43, 45; var. **californica, 43**; var. **pumicola, 43**; *rusbyi*, *43*; *salmonensis*, *42*; *stenomeres*, 39, 41, 55; *suffrutescens*, *46*; *tweedyi*, *50*; *uintahensis*, *54*; *ursina*, 39, 40, 43; subg. *Eremogone*, 38; subg. *Euarenaria* sect. *Eremogone*, *40*; subg. *Pentadenaria*, 38, 40; sect. *Alsine*, 39; sect. *Eremogone*, **40**; sect. *Eremogone*, North American species of, 38, 56; sect. *Pentadenaria*, *40*; Capillaris-group, 38

Armillaria mellea, 479–481

Arundinaria macrosperma, physical analysis of, growth of, 228–230

Arundo donax, physical analysis of growth of, 216–227, 230

Asclepias tuberosa, 520

Ascobolus magnificus, 197

Aspergillic acid, 418, 420

Aster, 142, 147, 148; *anticostensis*, 143; *asteroides*, 148; *carneus* γ *ambiguus*, 146; *ciliolatus*, 143; *commutatus*, 144; *conyzoides*, 148; *crassulus*, *144*; **crenifolius, 143**; var. **arcuans, 143**; var. **crenifolius, 143**; **depauperatus**, 148; *divaricatus*, 148; *douglasii*, 142; *ericoides*, 144; *falcatus*, 144; var. **crassulus, 144**; var. **falcatus, 144**; *foliaceus*, 142, 143; var. *arcuans*, *143*; var. *crenifolius*, *143*; var. *subgeminatus*, 143; var. *sublinearis*, 143; var. *subpetiolatus*, 143; *gaspensis*, 143; *gattingeri*, *145*; *gracilis*, 148; *hemisphaericus*, 145; *humilis*, 146; *infirmus*, 146, 147; *interior*, 145, *146*; *junciformis*, 142; *johannensis*, 142, 144; *laevis*, *146*; var. **laevis, 146**; *linifolius*, 148; *marilandicus*, 148, 149; *novae-angliae*, 148; *novi-belgii*, 142–144; *paludosus*, 144, 145; subsp. **hemisphaericus, 145**; subsp. **paludosus, 145**; *paniculatus*, 145; var. **ramosissimus, 145**; var. **simplex, 145**; *parviceps*, 148; *patens*, *146*; var. **patens, 146**; **paternus, 149**; *pedionomus*, *145*; *perelegans*, 148; *pilosus*, *146*; var. **pilosus, 146**; *pubens*, 147; **pubentior, 147**; *puniceus*, *146*; var. **puniceus, 146**; *rolandii*, 144; *sericocarpoides*, 146, 147; *simplex*, 145, 146; var. **interior, 146**; var. **simplex, 146**; *solidagineus*, 148; *surculosus*, 148; *tenuifolius* β *ramosissimus*, *145*; *umbellatus*, 146, 147; var. *latifolius*, 146; var. *pubens*, *147*; *verutifolius*, *145*; sect. *Biotia*, 148; sect. *Doellingeria*, 147, 148

Astereae of northeastern United States, 142–150

Atriplex, 346; *hastata*, 443; *patula*, root structure and chromosomes of, 443–452

Auricularia auricula, 479

Avrainvillea erecta, 121, 122

Azolla, 259, 261

Antibacterial activity of 500 Basidiomycetes, 476–503

Antibacterial substances, antiluminescent activity of, 414–425; estimation of by serial dilution methods, 303–320

Antibiotic activity of *Cassia reticulata* Willd., 287–292

Antiluminescent activity of antibacterial substances, 414–425

Antiphage agents, production of by Actinomycetes, 9–19

Bacillus flexner, 477; *mycoides*, 16, 288, 289, 291, 292, 306–310; *paratyphosus*, 477; *subtilis*, 9, 16, 288, 289, 291, 292, 306–310; *typhosus*, 476

Bacteriophage, inhibition of, 9–19

Bacterium issatchenkoi, 307; *tumefaciens*, relation to crown gall on rhubarb, 115–120

Bacomyces roseus, 265

BALDWIN, J. T., JR.: *Chaptalia nutans* and *C. integrifolia*: their chromosomes, 283. *Hippeastrum solandriflorum*: its chromosomes, 250

Bamboos, relation of *Streptochaeta* to, 232–239

BARKLEY, FRED A.: Noteworthy plants of South America—III. Specimens of *Mauria*, 77. IV. Three Vargas specimens, 81. V. The genus *Ochoterenaea*, 85

BARTLETT, H. H.: *Lycopodium copelandianum*, a Sumatran clubmoss, 369

Basidiobolus, 407; producing elongated secondary conidia with adhesive beaks, 403–413; **haptosporus, 403–412**; *lacertae*, 403; *myxophilus*, 403; *ranarum*, 406, 407, 410, 411

Basidiomycetes, antibacterial activity of, 476–503

BEALE, HELEN PURDY: Some properties of the tobacco mosaic virus [abstract], 345

Beckman herbarium, 346, 347

BERGER, C. A.: Polyploid mitosis in the normal development of *Mimosa pudica*, 279
Bernard Ogilvie Dodge [biography], 197, 198, *pl. 1*
Beta, 469, 470
Biography: Dodge, Bernard Ogilvie, 197, 198, *pl. 1*
BLACK, L. M.: Plant tumors induced by viruses [abstract], 345
BLOMQUIST, H. L.: A collection of marine algae from Brazil, 383
Boltonia asteroides, 149; var. **asteroides, 149**; var. **latisquama, 149**; var. **recognita, 149**; *latisquama, 149*; var. *recognita, 149*
Bostrychia binderi, 385, 387, 395, 397; *sertularia*, 397; *tenella*, 397
Botryocladia skottsbergii, **388**, 395; *uvaria*, 385, 395;
Brachyactis, 147, 148
Brewerina suffrutescens, 46
Bromus carinatus, 99; *inermis*, 99; *marginatus*, 99
Broussonetia papyrifera, 520
Brucella abortus, 476
Bryophyllum, 323
Bryopsis pennata, 387
Bryothamnion seaforthii, 385, 396, *triquetri*, 397
Bucklandia, 62
Butomus umbellatus, 61

Cabomba aquatica, 258, 261
Cajophora macrantha, 81; *tenuis*, 81; **vargasii, 81, 83**
Calla palustris, 519, 520
Caltha palustris, 519
Calypogeia trichomanis, 429
CAMP, W. H.: [review], 426
Camptotheca, **68**, 70, 71
CANUS, JOSE S.: [News Note], 88
Carex, 62; *bipartita*, 152; *gaudichaudiana*, 63; *glareosa* var. *amphigena*, 151; *heleonastes*, 151, 152; *limosa*, 519; *marina*, 151; *neurochlaena* Holn, status and distribution of, 151, 152
Caryophyllaceae, studies in, 38–56
Cassia bearensis, 291; *fistulosa*, 290; *marilandica*, 290; *petersiana*, 291; *reticulata*, antibacterial activity of, 287–292; sp. 291
Castanea, 71
Castanopsis kawakamii, 136; *taiwaniana*, 136
Castilleja coccinea, 519
Caulerpa crassifolia f. *mexicana*, 385, 388; *lanuginosa*, 388; *lycopodium*, 385, **388**; *prolifera*, 385, 388; *pusilla*, 386, 389; *racemosa* var. *clavifera*, 389; var. *laetivirens*, 389; var. *uvifera*, 385, 389; *sertularioides*, 385, 389; f. *longiseta*, 389; *verticillata*, 389; *webbiana* f. *tomentella*, 389
Celtis occidentalis, 520
Centaurea nigra, 262; *vochinensis*, 262
Ceramium nitens, 396; *rubrum*, 396
Centroceras, 396; *clavulatum*, 396
Cephalozia bicuspidata, 429; *connivens*, 429
Cercidiphyllum, 66, 67n
Cercis canadensis, 519
Chaetomorpha gracilis, 387
Chamaedoris peniculum, 387
Chamaelirium luteum, 519
Chamaesyce, 155
Champia parvula, 396
Chaptalia, 283–286; *exscapa*, 284; *integerrima*, 283; *integrifolia*, 283; *nutans* and *C. integrifolia:* their chromosomes, 283–286; *piloselloides*, 284; *tomentosa*, 283
Chara, 258, 260
Chenopodiaceae, comparative cytological study of three species of, 443–452
Chenopodium, 346; *album*, root structure and chromosomes of, 443–452; *bonus-henricus*, 450
Chlorella, 163, 165
Chlorococcum, 164
Chlorodesmis, 121; *comosa*, 121, 122; *formosana*, 121, 122; *hildebrandtii*, 121, 122
Chnoospora, 400
Chondria littoralis, 396
Chondodendron limaciifolium, 378; *microphyllum*, 378; *platyphyllum*, 378; *tomentosum*, 378; *toxicoferum*, 378
Chromosomes of *Chaptalia* spp., 283–286; of Chenopodiaceae, 445–448; of *Hippeastrum solandiflorum*, 250–254; of hybrid *Petunia*, 453–475
Chrysopsis angustifolia, 150; camporum, *150;* graminifolia, *150;* villosa, 149; var. **angustifolia, 150**; var. **camporum, 150**; var. **graminifolia, 150**; var. **villosa, 149**
CHOU, RUTH CHEN-YING: *Lycopodium copelandianum*, a Sumatran clubmoss, 369; *Lygodium flexuosum* var. *accidens*, a new climbing fern from Kweichow Province, China, 374
Chytriomyces, new species of, 334–344; **appendiculatus**, 334, **335, 338–342**, 344; *aureus*, 336, 338, 341, 342; *hyalinus*, 336, 338, 339, 341, 342; *nodulatus*, 342; **para-**

siticus, 334–338, 341, 344; *spinosus,* 339, 341; **stellatus,** 334, **335, 336,** 341, **342–344**
Cladophora gracilis f. *subflexuosa,* 387; *membranacea,* 385, 387
Cladophoropsis membranacea, 387
Cladopus nidulans, 482
Cladothele, 399, 400
Clitocybe ditopa, 482, 486; *geotropa,* 479; *gigantea* var. *candida,* 476; *illudens,* 479; *obsoleta,* 482, 490, 491, 495, 496; *phyllophila,* 480, 481; *robusta,* 482, 490, 492–495; *tabescens,* 479
Clitopilus abortivus, 480
Codiaceae of the Philippines, 121–132
Codium adhaerens, 123; *bartlettii,* 124; *contractum,* 121, 124; *coronatum,* 121, 123; *dichotomum,* 386, 390; *geppii,* 121, 123; *intricatum,* 121, 123; *isthmocladum,* 386, 390; *mülleri,* 124; *papillatum,* 124; sp., 121, 124; *tomentosum,* 121
Coilodesme, 399, 400
Coleanthus subtilis, 73
Collection of marine algae from Brazil, 383–397
Collybia dryophila, 482, 486; *erythropus,* 482; *fusipes,* 479; *radicata,* 479; *velutipes,* 479
Colorado 9, stimulation of roots by, 112–114
Comparative cytological study of three species of the Chenopodiaceae, 443–452
Compositae of northeastern United States, 142–150
Conidiobolus, 403; *brefeldianus,* 410
Coniophora puteana, 482, 493, 495; sp. 482
Conocephalum conicum, 429
Conocybe lateritia, 479; *pubescens,* 479
Convolvulus arvensis, 520; *sepium,* 520
Conyza, 150; *asteroides, 149; canadensis* var. **canadensis, 150;** var. **glabrata, 150;** var. **pusilla, 150;** *parva 150*
Coprinus, antibacterial activity of, 499; *auricomis,* 482; *boudierii,* 479; *comatus,* 482, 493, 495; *coopertus,* 479; *curtus,* 479; *domesticus,* 479; *ephemerus,* 479; *extinctorius,* 480; *fimetarius,* 479; *friesii,* 479; *hiascens,* 479, 480; *impatiens,* 479; *lagopus,* 479; *micaceus,* 479; *picaceus,* 482, 486, 490, 491, 495; *plicatilis,* 482, 486; *radians,* 479; *radiatus,* 479; *similis,* 482; sp., 479; *stercorarius,* 479
Corallina, 396; *cubensis,* 394; *flabellum, 123; monile, 130*
Coreopsis, 346
Corticium alutaceum, 479; *coeruleum,* 479; *effuscatum,* 481; *galactinum,* 479; *portentosum,* 482, 494, 495
Cortinarius rotundisporus, 477
Cosmos, 323
Cotton, microbiological degradation of, 264
Crepidotus mollis, 482, 486
CROIZAT, LEON: *Euphorbia maculata* L., 153; *Trochodendron, Tetracentrum,* and their meaning in phylogeny, 60
CRONQUIST, ARTHUR: Notes on the Compositae of the northeastern United States—V. Astereae, 142
Crown gall disease on rhubarb, 115–120
Crown rot of rhubarb, 1–8
Crucibulum vulgare, 479
Cryptonemia crenulata, 394; *luxurians,* 394
Cucumis melo, 450
Culex pipiens, 282, 443, 451
Culture medium, influence of on growth and reproduction of *Protosiphon botryoides,* 21–37
Cyathus striatus, 479
Cynanchum nigrum, 262

Dactylaria haptospora, 409
Dactylella astenopaga, 409
Dactylis glomerata, 104
Daedalea ambigua, 479; *biennis,* 479; *confragosa,* 479; *flavida,* 481; *gibbosa,* 479; *quercina,* 482; *unicolor,* 482, 490, 496
Daphne striata, 61
Datura, 466
Daucus carota, 119
Davidia, 67, **68,** 70, 71, 74
DDT, stimulation of roots by, 112–114
Deconica crobula, 479; *inquilina,* 479, 482, 486, 488
Delacroixia, 403; *coronata,* 410
Delamarea, 399
Delphinium, 57; *variegatum,* leaf variation in, 57–59
Dermocarpa prasina, 386
Diandrolyra, 237
Dichonema erectum, 121, *122*
Dicoryphe, 63
Dictyopteris areschougii, 391, 393; *delicatula,* 392, 393; *justii,* 385, 391; *plagiogramma,* 391
Dictyosiphon, 399, 400; *chordaria,* 400; *foeniculaceus,* 399, 400
Dictyosiphonaceae, 399
Dictyosiphonales, extension of to include the Punctariales, 398–402
Dictyosphaeria cavernosa, 385–387

Dictyota cervicornis, 385, 391; *ciliolata*, 391; *divaricata*, 391
Differentiation of carrot root tissue grown in vitro, 321–328
Digenea simplex, 385, 387, 394, 396
Dilophus alternans, 385, 391
Distribution and nature of polyploidy in *Festuca elatior* L., 91–111
DODGE, B. O.: Report of the committee to prepare a memorial for the late Dr. Robert Almer Harper, October 16, 1946, 87
Dodge, Bernard Ogilvie [biography], 197, 198, *pl. 1*
Doellingeria sericocarpoides, 146
Donia squarrosa, 150
DRECHSLER, CHARLES: A *Basidiobolus* producing elongated secondary conidia with adhesive beaks, 403
Drosophila, 137; antibacterial activity of, 499; *appendiculata*, 479, 480, 482, 488; *badia*, 379; *candolleana*, 479, 481; *caudata*, 480, 482, 486, 490; *exalbicans*, 479, 482, 486, 488, 490, 491; *fatua*, 479; *fibrillosa*, 482, 486, 490, 491, 495; *gracilis*, 479, 482, 488, 490, 491; *hydrophila*, 482; *lactea*, 479; *marcescibilis*, 480; *orbitarum*, 482; *prona*, 480; *pygmaea*, 479; *sarcocephala*, 481; *semivestita*, 482, 486, 489, 490, 496; sp., 479, 481, 483; *spadicophylla*, 479; *subatrata*, 482, 486, 489–491, 496, 502; *trepida*, 482, 483, 486; *vernalis*, 483, 486, 490, 491, 495
DULANEY, EUGENE L.: Observations on *Streptomyces griseus*—I. Chemical changes occurring during submerged streptomycin fermentations, 504
DUMAN, MAXIMILIAN G.: Status and distribution of *Carex neurochlaena* Holm, 151

Echinodontium tinctorium, 483
Eichhornia azureus, 258, 261; *crassipes*, 257, 258, 261
Elacagnus umbellata, 262
Embryo development in *Tropaeolum majus*, 240–249
Empusa fresenii, 408, 411; *lageniformis*, 411; *lampyridarum*, 411; *sphaerosperma*, 408
Ephedra, 72
EPLING, CARL: Supplementary notes on American Labiatae—IV, 512
Erigeron canadensis, *150*; var. *glabratus*, *150*; *pusillus*, *150*
Eriogonum, a new, from the Southeast, 329; *floridanum*, 329; **harperi**, **329**, **330**; *longifolium*, 329
Eriophorum callitrix, 519
Erythrocladia subintegra, 392
Eschenbachia, 150
Escherichia coli, 10, 11, 13–16, 19, 288, 289, 292, 306-308, 310, 315, 417, 418, 423, 424, 476–478, 481, 482, 486, 488, 489, 496, 499, 501, 502
Estimation of antibacterial substances by serial dilution methods, 303–320
Eucephalus elegans, 148
Eucommia, 66, 67n
Eugenia, 81
Euonymus europaeus, 262
Euphorbia brasiliensis, 154; *chamaesyce*, 153, 155; *cyparissias*, 520; *hypericifolia*, 332; *maculata*, 153–155, 520; *maculata* again, 332, 333; *polygonifolia*, 520; *preslii*, 154; *prostrata*, 153; *supina*, 154, *155*, 332
Euphrasia sp., 63
Euptelea, 67n
Extension of the brown algal order Dictyosiphonales to include the Punctariales, 397–402

Fagus, 63
Favolus canadensis, 479
Fertilization in *Tropaeolum majus*, 243
Festuca elatior, distribution and nature of polyploidy in, 99–111; subsp. *arundinacea*, 100; var. *cirtensis*, 100; var. *eu-arundinacea*, 100; var. *fenas* subvar. *corsica*, 100; var. *genuina*, 100; var. *glaucescens*, 100; var. *letourneuxiana* subvar. *pitardii*, 100; var. *uetrichiana*, 100; subsp. *pratensis*, 100; var. *eu-pratensis*, 100; var. *genuina*, 100; *elatior* var. *arundinacea*, 100, 106, 109; *ovina*, 99; *pratensis* × *arundinacea*, 106, 107; *rubra*, 99
Field trip reports, 186, 187, 265, 266, 428–430, 519–521
Flammula carbonaria, 479; *gummosa*, 479; *ochroleuca*, 479; *sapinea*, 483
Fomes, antibacterial activity of, 499; *annosus*, 483, 490, 491, 496; *applanatus*, 483, 486; *calkinsii*, 479; *conchatus*, 479; *connatus*, 479; *ellisianus*, 481; *everhartii*, 479; *extensus*, 470; *fomentarius*, 479; *fraxineus*, 479; *fraxinophilus*, 483, 386; *fulvus*, 480; *geotropus*, 479; *igniarius*, 479; *igniarius laevigatus*, 479; *igniarius robustus*, 481; *juniperinus*, 483; *lobatus* 479; *marmoratus*, 479; *meliae*, 483; *nigricans*, 479; *nigrolimitatus*, 479, 481, 483, 488; *noxius*, 479; *officinalis*, 483; *pini*, 481, 483; *pinicola*, 483; *ribis*, 483;

rimosus, 479; *robustus*, 479; *robustus tsuginus*, 479; *roseus*, 483; *scutellatus*, 479; *spadiceus*, 483, 486; *subroseus*, 481
Fomitiporia dryophila, 479; *earleae*, 479; *flavomarginata*, 479
Fordham University, botanical research in, 346
FOSBERG, F. R.: *Euphorbia maculata* again, 332
Fosliella lejolisii, 393
Fothergilla, 72, 73
Fraxinus nigra, 519
Fucus proliferus, 121
FULTS, JESSE L.: Secondary root stimulation in the common bean, *Phaseolus vulgaris* L., caused by the insecticides DDT and Colorado 9, 112
Fundamental aspects of the microbiological degradation of cotton [abstract], 264

Galaxaura, 392n; *cylindrica*, 392; *marginata*, 393; *oblongata*, 393; *rugosa*, 393; *subverticillata*, 393
Galera tibicystis, 479
Gelidium corneum, 393; *crinale*, 393; *pusillum*, 393; *rigidum*, 385, 387, 393; sp., 393
Gerbera, 286; *anandria*, 286; *integrifolia*, 286; *jamesoni*, 286; var. *hybrida*, 286
GILBERT, WILLIAM J.: Studies on Philippine Chlorophyceae—III. The Codiaceae, 121
Globulinea gigantea, 87
Gobia, 399; *baltica*, 400
Gonimochaete horridula, 410
GOODMAN, GEORGE J.: A new *Eriogonum* from the Southeast, 329
GOTTLIEB, DAVID: Morphological and physiological factors in streptomycin production, 293
Gracilaria blodgettii, 395; *cervicornis*, 385, 395; *cornea*, 385, 395; *curtissiae*, 395; *cylindrica*, 386, 395; *ferox*, 385, 395; *mammillaris*, 395; *ornata*, 385, 395
Grandinia granulosa, 479
Griffithsia globulifera, 396; *radicans*, 396
Grindelia squarrosa, *150*; var. **squarrosa, 150**
Growth curves of oriental tobacco and their significance, 199–214
Growth of grasses, physical analysis of, 215–231
Growth substances in plants, 180–183
Gunnera, 75
Gymnocolea inflata, 429
Gymnogongrus, 394

Halimeda cordata, *129*; *cuneata*, 121, 126; f. *digitata*, 125; f. *typica*, 125; *discoidea*, 125, 126, 385, 390; f. **intermedia, 126**; f. **subdigitata, 125**; f. *typica*, 125; *gracilis*, 121; *incrassata*, 128, 129; var. *lamourouxii*, *131*; var. *ovata*, 128; f. *monilis*, *130*; f. *ovata*, 128; f. *typica*, *130*; *macroloba*, 126, 128, 129; *macrophysa*, 128; *monile*, 121, 130; *opuntia*, 129, 130, 390; f. *cordata*, **129, 130**; f. *hederacea*, **130**; f. *intermedia*, **130**; f. *renchii*, **130**; f. *triloba*, **129**, 130; f. *typica*,, **129**; **orientalis**, 121, **126–128**, 129; *renchii*, *130*; *simulans*, 128, 390; sp., 121; *tridens*, 129, 130; f. **lamourouxii, 131**; *triloba*, *129*; *tuna*, 124, 390; f. *platydisca*, 124
Halocnemum strobilaceum, 65n
Halymenia floresia, 386, 394; *floridana*, 386, 394
Hamamelis, 72–74
Hancornia speciosa, 250
Harper, Robert Almer, report of committee to prepare a memorial for 87, 88
Hedeoma acinoides, 514; *apiculatum*, 514; *costatum*, 514; *mandonianum*, 514; *reverchoni*, 514; **subaequale, 513**
Herposiphonia tenella, 397
HERVEY, ANNETTE HOCHBERG: A survey of 500 Basidiomycetes for antibacterial activity, 476
HILL, HELEN D.: Distribution and nature of polyploidy in *Festuca elatior* L., 99
Hippeastrum solandriflorum: its chromosomes, 250–254
Hippuris, 75, 76
Holoptelea integrifolia, 61n
Hormones, plant, 180–183
Hybrid *Petunia*, somatic chromosomes of, 453–475
Hydnum abietinum, 483; *abietis*, 481
Hydrocleis nymphoides, 64
Hydrogen-ion concentration, effect of on reproduction of *Protosiphon botryoides*, 158, 159, 163
Hymenochaeta tabacina, 481
Hypholoma sublateritium, 483
Hypnea cervicornis, 394; *esperi*, 395; *musciformis*, 385, 394; *spinella*, 385, 395
Hypochnus centrifugus, 483
Hyptis **cuniloides, 518**; *floribunda*, 518; *laciniata*, 518; *microphylla*, 518; *obtusiflora*, 518; *uliginosa*, 518; sect. *Umbellaria*, 518

Index to American botanical literature, 89–98, 188–196, 267–278, 357–368, 431–442, 522–528; abbreviations for periodicals cited in, 348–356
Inula graminifolia, *150*
Irpex cinnamomeus, 483, 486; *mollis*, 483, 490, 493, 495

Jania adhaerens, 393; *capillacea*, 393; *pumila*, 393; *rubens*, 393
JONES, DORIS: The production of antiphage agents by Actinomycetes, 9
Juglans, 71, 73
Jussiaea diffusa, 259; *grandiflora*, 259; *natans*, 261

Kageneckia lanceolata, 61
Kalmia polifolia, 519
KARLING, JOHN S.: New species of *Chytriomyces*, 344. Report of the committee to prepare a memorial for the late Dr. Robert Almer Harper, October 16, 1946, 87
KAVANAGH, F. W.: Antibiotic activity of *Cassia reticulata* Willd., 287. Antiluminescent activity of antibacterial substances, 414. Estimation of antibacterial substances by serial dilution methods, 303
Klebsiella pneumoniae, 288, 289, 292, 307, 308, 310, 315
Kochia, 346; *scoparia*, 444; *trichophylla*, root structure and chromosomes of, 443–452
Krigia amplexicaulis, 519; *virginica*, 519
KRUKOFF, B. A.: Supplementary notes on American Menispermaceae—IV, 378

Labiatae, supplementary notes on American, 512–518
Laminariales, 400
Larix laricina, 519
Laurencia obtusa, 385, 396; *papillosa*, 385, 396; *scoparia*, 385, 396
Leaf anatomy of *Streptochaeta* and the relation of this genus to the bamboos, 232–239
Leaf variation in *Delphinium variegatum*, 57–59
Lentinus cochleatus, 483; *degener*, 483; *kauffmanii*, 481; *lepideus*, 479; *tigrinus*, 479, 483, 488
Lenzites betulina, 479; *bicolor*, 483, 493, 495; *flaccida*, 479; *repanda*, 479; *saepiaria*, 480, 481, 494, 500; *thermophila*, 479; *trabea*, 481; *tricolor*, 479
Lepiota naucina, 483
Leptaspis, 237, 239; *angustifolia*, leaf anatomy of, 232–239
Leucelene, 148
Leucosyke, 61n; *capitellata*, 72, **73**
LEVINE, MICHAEL: Crown gall disease on rhubarb, 115. Differentiation of carrot root tissue grown in vitro, 321
LEWIS, HARLAN: Leaf variation in *Delphinium variegatum*, 57
Liagora ceranoides, 385, 392; *valida*, 392
Light, influence of on growth and reproduction of *Protosiphon botryoides*, 20, 21
Lilium, 346
Limnocharis emarginata, 61
Liquidambar, 62, 67, **68, 73,** 74
Listera australis, 519
Lithachne, 232, 237; *pauciflora*, leaf anatomy of, 232–239
Lithocarpus kawakamii, 136
Loasa carunculata, 84; *picta*, 84; **raimondii, 82, 83**
Local area, noteworthy records from, 262, 623
Lolium perenne, 103, 104, 108; × *Festuca arundinacea*, 107; × *Festuca elatior*, 107
Lophosiphonia obscura, 385, 397
Lychnis alba var. *colorata*, 262
Lycoperdon gemmatum, 479
Lycopodium copelandianum, a Sumatran clubmoss, **369–373**; *hamiltonii*, 371; var. *petiolatum*, 371, 373; *petiolatum*, *369*, 371, 373; *poisonii*, 371, 372; subg. *Urostachys* series "*Poisonia*," 371
Lygodium, 374; *flexuosum*, 374, 377; var. **accidens, 374–377**; a new climbing fern from Kweichow Province, China, 374–377; *japonicum*, 377
Lythrum alatum, 520

Macrosiphonia longiflora, 250n
Magnolia, 346
MAGUIRE, BASSETT: Studies in the Caryophyllaceae—III. A synopsis of the North American species of *Arenaria*, sect. *Eremogone* Fenzl, 38
MAHER, Sister M. LAURENCE: The role of certain environmental factors in growth and reproduction of *Protosiphon botryoides* Klebs—II. Vegetative growth, 20. III. Reproduction, 156
Marasmius candidus, 483
Matricaria asteroides, *149*
MATUDA, EIZI: On the genus *Mitrastemon*, 133
Mauria, specimens of, 77–80; *birringo*, 77; **cuatrecasei, 78, 79; dugandii, 79, 80;**

ferruginea, 79, 80; var. *obtusifolia*, *80*; *heterophylla*, 77; **killipii, 78, 79; obtusifolia, 80;** *ovalifolia*, 78; *puberula*, 80; *sericea*, 80; *suaveolens*, 77
Megasporogenesis and embryo development in *Tropaeolum majus* L., 240–249
Melanoleuca cognata, 479
Melobesia membranacea, 393
Menispermaceae, supplementary notes on American, 378–382
Meristacrum asterospermum, 410
Mertensia maritima, 521; *virginica*, 519
Merulius confluens, 481; *corium*, 479, 483; *lachrymans*, 483, 492–495
MEYERS, SAMUEL LEWIS: Plants of importance in the breeding of *Anopheles albimanus* Wied. in Panama, 257
Micromonospora, production of antiphage agents by, 11
MIDDLETON, JOHN T.: *Pythium* crown rot of rhubarb, 1
Mimosa, 346; *pudica*, 443; polyploid mitosis in the normal development of, 279–282
Mitosis, polyploid, 279–282
Mitrastemon, the genus, 133–144; *kanehirai*, 135–137; *kawa-sasakii*, 135–137; *matudai*, **133, 135**, 136, 137; *yamamotoi*, 136, 137; var. *kanechirai*, 137, 139; var. *kawa-sasakii*, 137, 139
Mitrastemonaceae, 139
Mniochloa, 232, 237; *strephioides*, leaf anatomy of, 232–239
MOLDENKE, H. N.: Noteworthy records from the local area, 262. Supplementary notes on American Menispermaceae—V, 378
Monarda citriodora, 512; *clinopodioides*, 512; *fruticulosa*, 512; *lindheimeri*, 512; *punctata* subsp. *immaculata*, 512
Morphological and physiological factors in streptomycin production, 293–302
Morus alba, 520
Mosaic virus, 345
Mucidula radicata, 479
Mycena atroalba, 479; *capillaris*, 483
Mycobacterium avium, 307; *berolinense*, 307; *lacticola*, 307; *phlei*, 288, 289, 291, 292, 307, 311, 478, 497; *ranae*, 307; *smegmatis*, 288, 289, 291, 292, 307, 311; *tuberculosis*, 476
MYERS, W. M.: Distribution and nature of polyploidy in *Festuca elatior* L., 99
Myriophyllum, 64

Najas, 258, **259**, 260; *arguta*, 259, 260
Nemalion schrammii, 392
Nematoctonus haptocladus, 408, 409; *leptosporus*, 409; *pachysporus*, 409
Neofagus, 63
Nepenthes, 61
Nereites, 87
Neurospora, 197, 198, 428
New *Eriogonum* from the Southeast, 329–331
New species of *Chytriomyces*, 334–344
News notes, 88, 246, 247, 266
Nitrogen requirements of *Protosiphon botryoides*, 27–31
Nocardia, production of antiphage agents by, 11; *gardneri*, antiphage properties of, 13
Notes on the Compositae of the northeastern United States—V. Astereae, 142–150
Noteworthy plants of South America—III. Specimens of *Mauria*, 77–80; IV. Three Vargas specimens, 81–94; V. The genus *Ochoterenaea*, 85, 86
Noteworthy records from the local area, 262, 263

Ochoterenaea, the genus, 85, 86; *columbiana*, **85, 86**
Odontoschisma prostratum, 429
Olyra, 237, 239; *heliconia*, leaf anatomy of, 232–239
Omphalia campanella, 478, 483; *flavida*, 483, 494, 495
On the genus *Mitrastemon*, 133–141
Opuntia cylindrica, 75
Oscillatoria corallinae, 386
Ostrearia, 63

Pachysandra, 198, 265
Padina gymnospora, 385, 391; *vickersiae*, 385, 391
PAGE, VIRGINIA MICHAUD: Leaf anatomy of *Streptochaeta* and the relation of this genus to the bamboos, 232
Panaeolina foveniseeii, 481
Panaeolus acuminatus, 483; *campanulatus*, 481, 483, 486; *papilionaceus*, 481, 483, 490, 491, 495; *retirugis*, 480; *sub-balteatus*, 483
Panellus stypticus, 483
Panicum virgatum, 99
Panus rudis, 479
PAPENFUSS, G. F.: Extension of the brown algal order Dictyosiphonales to include the Punctariales, 398
Pariana, 232, 237; *zingiberina*, leaf anatomy of, 232–239

Passerina filiformis, 61
Paxillus panuoides, 483, 493, 495
PAYNE, MERLE G.: Secondary root stimulation in the common bean, *Phaseolus vulgaris* L., caused by the insecticides DDT and Colorado 9, 112
Pellia epiphylla, 429
Penicidin, 414
Penicillin, 306n, 315, 418
Penicillium, 414; *chrysogenum*, 506; *notatum*, 501
Penicillus capitatus, 390
Peniophora cremea, 479; *corticalis*, 479; *gigantea*, 479; *incarnata*, 483, 486, 490, 495; *populnea*, 479; *pubera*, 483, 486; *quercina*, 480, 481
Periodicals, abbreviations of, 348–356
PERLMAN, D.: Observations on *Streptomyces griseus*—I. Chemical changes occurring during submerged streptomycin fermentations, 504–511
Persicaria longiseta, 263
Petunia, somatic chromosomes of, 453–475; *axillaris*, chromosomes of, 454, 459, 464–468, 471–473; × *integrifolia*, chromosomes of, 453–475; tetraploid × *axillaris* diploid, chromosomes of, 453–475; *integrifolia*, chromosomes of, 453, 454, 464, 466–468, 471, 473; *nyctaginiflora*, 454; *parodii*, 454, 459, 465; *parviflora*, 459; *violacea*, 454, 459, 464, 465
Phaeophycophyta, classification of, 398
Phalaris arundinacea, 99
Pharus, 237, 239; *latifolius*, leaf anatomy of, 232–239; *parvifolius*, leaf anatomy of, 232–239
Phaseolus multiflorus, 199; *vulgaris*, stimulation of roots of by DDT and Colorado 9, 112–114
Philippine Chlorophyceae, studies on, 121–132
Phlebia mellea, 479
Phleum, 472; *pratense*, 99, 104
Pholiota adiposa, 479; *aurivella*, 479; *destruens*, 481; *lucifera*, 483, 492–495; *mutabilis*, 479, 481; *spectabilis*, 479; *sphaleromorpha*, 481, 483; *squarrosa*, 479
Pholiotina togularis, 479
Photobacterium, 312; test, 414; *fischeri*, 307–310, 414, 415, 417, 418, 420, 424
Physical analysis of growth and structure of some grasses, 215–231
Phytophthora, 1, 4; *parasitica*, 2
Picea mariana, 519; *rubra*, 519
Pinus banksiana, 520; *rigida*, 520
Pistia stratiotes, 257, 258, 261
Plant hormones, 180–183
Plant tumors induced by viruses [abstract], 345
Plantago rugelii var. *asperula*, 263
Plants of importance in the breeding of *Anopheles albimanus* Wied. in Panama, 257–261
Platanus, 62, 67, 68, 69, 74
Platoma tenuis, 394
Pleurotus griseus, 483, 486, 490, 493; *ostreatus*, 479; *sapidus*, 479; *serotinus*, 479; *ulmarius*, 483
Pluteus nanus, 480, 481
Podocarpus ferrugineus, 61
Pogonia divaricata, 430
Polanisia trachysperma, 520
Poliomintha glabrescens, 513
Polylepis, 81
Polyploid mitosis in the normal development of *Mimosa pudica*, 279–282
Polyploidy in *Festuca elatior*, 99–111
Polyporus, antibacterial activity of, 499; *abietinus*, 479, 484, 486; *adustus*, 479; *albellus*, 484; *alboluteus*, 479; *albosordescens*, 479; *amorphus*, 478, 484, 490, 491, 493, 495; *anceps*, 479; *arcularius*, 479; *balsameus*, 484; *benzoinus*, 479; *berkleyi*, 481; *betulinus*, 481, 484; *borealis*, 480, 481; *brumalis*, 480; *caesius*, 481, 484, 493, 495; *cinnabarinus*, 480; *circinatus*, 480; *circinatus dualis*, 480; *compactus*, 484; *conchifer*, 480; *croceus*, 480; *cuticularis*, 480; *dichrous*, 484, 490, 495; *distortus*, 480; *dryadeus*, 480; *dryophilus*, 480; *dryophilus vulpinus*, 484; *durus*, 484; *elegans*, 480; *fibrillosus*, 480; *fragilis*, 484, 486; *frondosus*, 480; *fumosus*, 480; *galactinus*, 480; *giganteus*, 484, 486; *gilvus*, 481; *glomeratus*, 480; *graveolens*, 480; *guttulatus*, 484; *helveolus*, 484; *hirsutus*, 480; *hispidus*, 480; *hydnoides*, 481; *imberbis*, 480; *immitis*, 484; *intybaceus*, 484; *lucidus*, 480; *mollis*, 484, 494, 495; *montanus*, 484, 490, 495; *nidulans*, 484, 494, 495; *obtusus*, 484, 490, 495; *oregonensis*, 481; *osseus*, 484, 486; *palustris*, 484; *pargamenus*, 480; *picipes*, 480; *pubescens*, 480; *radiatus*, 484, 490, 495; *resinosus*, 480; *robiniophilus*, 480; *schweinitzii*, 484; *semipileatus*, 484, 493–495; *spraguei*, 484; *spumeus mongolicus*, 480; *squamosus*, 480; *stypticus*, 484; *subcartilagineus*, 484; *sulphureus*, 481; *tamaricis*, 480; *tenuis*, 480; *tephroleucus*, 484, 490, 491; *tsugae*, 481; *tuberaster*, 480;

tulipiferus, 480, 494, 500; *umbellatus*, 480; *vaporarius*, 484; *velutinus*, 480; *versicolor*, 480; *vulpinus*, 480; *weirii*, 486, 488; *zonalis*, 484, 486; *zonatus*, 480
Polysomaty in Chenopodiaceae, 445, 446
Polystictus sanguineus, 477
Populus, 467, 469, 470; *alba*, 520
Poria, antibacterial activity of, 499; *alaskana*, 481; *albipellucida*, 480; *albobrunnea*, 480, 484, 486, 488, 501; *ambigua*, 480; *aurea*, 480; *candidissima*, 484, 494, 495; *carbonica*, 484; *cinerascens*, 480; *colorea*, 484; *crustulina*, 480, 481; *cupora*, 480, 481; *ferrea*, 481; *ferrugineo-fusca*, 484; *ferruginosa*, 480; *floridana*, 480; *hymenocystis*, 480; *hypolateritia*, 484, 490, 496; *incrassata*, 484; *laevigata*, 480; *lenis*, 484; *medullapanis*, 481; *microspora*, 484; *mollusca*, 480; *mutans tenuis*, 480; *nigrescens*, 481; *obliqua*, 480; *pearsonii*, 484; *prunicola*, 480; *pulchella*, 480; *punctata*, 480; *rufa*, 480, 481; *semitincta*, 480; *sequoiae*, 484, 490, 495; *sericeo-mollis*, 480; *sitchensis*, 484, 490, 496; sp., 480, 481; *spissa*, 484; *subacida*, 484, 490, 491, 495; *subfuscoflavida*, 480; *tacamahacae*, 480; *tsugina*, 480; *undata*, 480; *unita*, 484; *vaillantii*, 485; *versipora*, 485, 490, 491; *viridiscula*, 480; *vulgaris*, 485; *weirii*, 480, 481, 485; *xantha*, 480, 485, 488; *xantha* f. *crassa*, 480, 485, 488; *xantha crassa*, 480, 485, 488
Potentilla, 472
Proceedings of the Club, 87, 88, 183–186, 263, 264, 345, 346, 427, 428
Production of antiphage agents by Actinomycetes, 9–19
Protosiphon botryoides, growth and reproduction of, 20–37; role of environmental factors in growth and reproduction of, 156–179; var. *deserti*, 164; f. *parieticola*, 164
Psalliota xanthoderma, 477
Pseudocoprinus disseminatus, 480
Pseudomonas aeruginosa, 288, 289, 292, 307, 308, 478, 496; *pyocyanea*, 476
Pseudonectria pachysandricola, 198, 265
Puccinia coronata, 100
Punctariales, inclusion in Dictyosiphonales, 398–402
Pythiocystis, sp., 2
Pythium crown rot of rhubarb, 1–8; *anandrum* and crown rot of rhubarb, 4–7; *cactorum*, 1; *irregulare* and crown rot of rhubarb, 4–7; *oligandrum* and crown rot of rhubarb, 4–7; *splendens* and crown rot of rhubarb, 4–7; spp., 1; *ultimum*, 403; and crown rot of rhubarb, 4–7

Quercus, 133; *boqueronae*, 133, 137; *glauca*, 136; *spicata*, 136

Raddia, 232, 237; *brasiliensis*, leaf anatomy of, 232–239
Radulum casearium, 480
Reboulia hemisphaerica, 429
Report of the committee to prepare a memorial for the late Dr. Robert Almer Harper, October 16, 1946, 87, 88
Reproduction of *Protosiphon botryoides*, effect of environmental factors on, 156–179
Review: Swingle, Deane B.: A textbook of systematic botany, 426, 427
Rhabdonia ramosissima, 394
Rheum raponticum, *Pythium* crown rot of, 1–8; crown gall on, 115–120
Rhipidosiphon javensis, *122*
Rhizoclonium riparium, 386, 387
Rhizoctonia crocorum, 485
Rhizophlyctis petersenii, 342
Rhizopus, 410
Rhododendron canescens, 519; *maximum*, 520; *nudiflorum*, 519; *roseum*, 519
Rhodoleia, 74; *championii*, 71, **73**
Rhodopaxillus nudus, 485, 490, 491, 495, 496, 502
Rhodophyllus gracilarioides, 394
Rhoeo, 346
Rickett, H. W.: Abbreviations of periodicals cited in the Index to American botanical literature, 348. Report of the committee to prepare a memorial for the late Dr. Robert Almer Harper, October 16, 1946, 87
Robbins, W. J.: Antibiotic activity of *Cassia reticulata* Willd., 287
Role of certain environmental factors in growth and reproduction of *Protosiphon botryoides* Klebs—II. Vegetative growth, 20–37. III. Reproduction, 156–179
Root structure of Chenopodiaceae, 444, 445
Root tissue grown in vitro, differentiation of, 321–328
Rosa setigera, 263
Rozella sp., 338
Rudicularia penicillata, *122*
Rubus acaulis, 255; *alaskensis*, 255, 256; ×*arcticus*, 256; *arcticus*, 255, 256; *pedatus*, 256; *pubescens*, 256; *spectabilis*,

256; *stellatus*, 255, 256; subg. *Cylactis*, 255, 256

Sagittaria, 64
Salicornia, 65n, 75; *fruticosa*, 65n; *pusilla*, 65n; *ramosissima*, 65n
Salix alba, 520
Salt concentration of medium, effect of on growth and reproduction of *Protosiphon botryoides*, 21–23
Salvia amissa, 515; *ampelophylla*, 515; **anguicoma, 517**; *areolata*, 517; *balaustina*, 517; *ballotaeflora*, 514; *coccinea*, 515; *corrugata*, 514; *cuatrecasana*, 517; *curviflora*, 517; *farinacea*, 515; *fruticulosa*, 514; *gilliesii*, 514; *hirta*, 515; *incana*, 518; **iuliana, 516**; *latens*, 517; *littae*, 517; *loxensis*, 515; *lycioides*, 515; *macbridei*, 516; *malacophylla*, 515; *matudae*, 517; *mitis*, 515; *obvellata*, 515; *orbignaei*, 516; *perlonga*, 516; *purpurea*, 517; *revoluta*, 516; *rufula*, 517; *sarmentosa*, 515; *sordida*, 517; *sparsiflora*, 517; *sphaecelifolia*, 515; *thormanni*, 515; *tiliaefolia*, 515; *tolimensis*, 517; *uncinata*, 515; **vargasii, 514**; sect. *Angulatae*, 516; sect. *Cardinales*, 516; sect. *Flocculosae*, 514; sect. *Hochneana*, 516; sect. *Longiflorae*, 517; sect. **Nelsonia, 516**; sect. *Nobiles*, 516, 517; sect. *Pavonia*, 516; sect. *Purpurea*, 517; sect. *Tubiflorae*, 517
Salvinia natans, 259, 261
Sargassum lendigerum, 392; *platycarpum*, 385, 392; *polyceratium*, 385, 392, 393
Sarracenia purpurea, 520
Satureja lineata, 513
Scenedesmus, 165; *acutus*, 165
SCHATZ, ALBERT: The production of antiphage agents by Actinomycetes, 9
Schinus, 81
Schizophyllum commune, 481, 485, 486, 488, 501
SCHWARTEN, LAZELLA: Abbreviations of periodicals cited in the Index to American botanical literature, 348. Index to American botanical literature, 89, 188, 267, 357, 431, 522
Sciadotenia brachypoda, 379; *cayennensis*, 379; *paraensis*, 378; *sprucei*, **379**
Scutellaria atriplicifolia, 513; *australis*, 513; *benthamiana*, 513; *drummondii*, 513; *speciosa*, 513; *volubilis*, 513; *wrightii*, 513
Scytothamnus, 399; *australis*, 399
SEAVER, FRED J.: Bernard Ogilvie Dodge, 197
Secondary root stimulation in the common bean, *Phaseolus vulgaris* L., caused by the insecticides DDT and Colorado 9, 112–114
Senecio pseudo-arnica, 521
Serial dilution methods in estimation of antibacterial substances, 303–320
Sericocarpus, 148; *asteroides*, 148; *linifolius*, 148
Shiia, 139; *cuspidata*, 136; *sieboldi*, 136
Sicyos vargasii, 82, 83
SIU, RALPH C. H.: Fundamental aspects of the microbiological degradation of cotton [abstract], 264
Smilax, 284n
Solidago, 142, 147; *albopilosa*, 430; *bicolor*, 265; *caesia*, 265; *canadensis*, 265; *flexicaulis*, 265; *graminifolia*, 265; *odora*, 265; *rugosa*, 265; *speciosa*, 265
Somatic chromosomes of pedigreed hybrid *Petunia*, 453–375
Some properties of the tobacco mosaic virus [abstract], 345
Sorghum halepense, physical analysis of growth of, 227, 228, 230; *purpureosericeum*, 105
Sparassis crispa, 485, 486
Spatoglossum areschougii, 391; *schröderi*, 385, 391
SPEESE, BERNICE M.: *Chaptalia nutans* and *C. integrifolia*: their chromosomes, 283. *Hippeastrum solandriflorum*: its chromosomes, 250
Sphagnum, 62
Spinacia, 280, 282, 346; *oleracea*, 443
Spiranthes cernua, 265
Spyridia filamentosa, 396
Stachys eriantha, 513; *hamata*, 513
STANDLEY, P. C.: Noteworthy plants of South America—IV. Three Vargas specimens, 81
Staphylococcus aureus, 10, 14, 16–18, 287–291, 305, 306–308, 309, 310, 313, 315, 316, 417–421, 423, 424, 476–478, 481, 482, 486, 488, 489, 491–499, 501, 502
Status and distribution of *Carex neurochlaena* Holm, 151, 152
Stellaria kingii, *53*
Stereum abietinum, 480, 485, 488; *fasciatum*, 480; *frustulosum*, 485, 490, 495; *gausapatum*, 480; *hirsutum*, 485; *murrayi*, 485; *pini*, 481; *purpureum*, 485; *rugosum*, 480; *sanguinolentum*, 480, 485; *spadiceum*, 480; *subpileatum*, 481; *sulcatum*, 480, 481, 485, 488, 490, 491, 495

Streptochaeta, leaf anatomy of and relation to the bamboos, 232–239; *sodiroana*, leaf anatomy of, 232–239; *spicata*, leaf anatomy of, 232–239
Streptococcus pyogenes, 477; *viridans*, 477
Streptomyces, production of antiphage agents by, 11, 18; *antibioticus*, antiphage properties of, 13; *griseus*, antiphage properties of, 13–15; chemical changes in during submerged streptomycin fermentations, 504–511; production of streptomycin by, 293–302; *lavendulae*, 506; antiphage properties of, 13
Streptomycin, 315, 418; fermentations, submerged, 504–511; production, morphological and physiological factors in, 293–302
Streptothricin, 316, 418
Stropharia mammillata, 485; *merdaria*, 480, 485
Studies in the Caryophyllaceae—III. A synopsis of the North American species of *Arenaria*, sect. *Eremogone* Fenzl, 38–56
Studies on Philippine Chlorophyceae—III. The Codiaceae, 121–132
Stuhlman, Otto, Jr.: A physical analysis of growth and structure of some grasses, 215
Stylopage rhynchospora, 409
Sulfanilamide, 418
Sullivan, T. D.: Somatic chromosomes of pedigreed hybrid *Petunia*, 453
Supplementary notes on American Labiatae—IV, 512–518
Supplementary notes on American Menispermaceae—IV, 378–382
Survey of 500 Basidiomycetes for antibacterial activity, 476–503
Swingle, Deane B.: A textbook of systematic botany [review], 426
Symaedrys brevicaudata, 136
Symplocarpus, 346

Taraxacum, 284
Telitoxicum duckei, 379; *krukovii*, 379
Temperature, influence of on reproduction of *Protosiphon botryoides*, 156, 160–162
Tetracentron, **68**; meaning of in phylogeny, 60–76
Teucrium cubense subsp. *laevigatum*, 512
Thalictrum aquilegifolium, 263
Thayer, J. D.: Antibiotic activity of *Cassia reticulata* Willd., 287
Tobacco mosaic virus, 345
Torrey Club, Proceedings of, 87, 88, 183–186, 263, 264, 345, 346, 427, 428
Torreya, 87, 88, 180–187, 262–266, 345–347, 426–430, 519–521
Tradescantia, 465; *zebrina*, 210, 219
Tragopogon, 284
Trametes, antibacterial activity of, 499; *americana*, 485, 490, 491, 495; *carbonaria*, 485, 493, 495; *feei*, 485; *gibbosa*, 480; *heteromorpha*, 485, 490, 495, 496; *hispida*, 480; *isabellina*, 481, 485; *lilacinogilva*, 485, 486; *mollis*, 480; *morganii*, 485; *robiniophila*, 480; *serialis*, 485; *serpens*, 480, 481, 485, 488, 492, 493, 495; antibacterial activity of, 496, 501; *suaveolens*, 480; *subrosea*, 485; *tenuis*, 480; *variiformis*, 481, 485, 493, 495
Trichocereus, 75, 76; *spachianus*, 75
Tricholoma ambustum, 480
Trichostema brachiatum, 512
Trifolium pratense var. *albiflorum*, 263
Trillium, 346
Trochodendron, 68; meaning in phylogeny, 60–76
Tropaeolum majus, megasporogenesis and embryo development in, 240–249; *peregrinum*, 240; *speciosum*, 240
Tumors induced by viruses, 345
Tydemannia, 121; *expeditionis*, 121, 122

Udotea argentea var. *spumosa*, 123; *conglutinata*, *122*; *flabellum*, 123; 390; *javensis*, 121, 122; *orientalis*, 122
Ulke, Titus: An apparently new record of *Globulinea gigantea* Ulke, 87
Ulmus hollandica, 61n
Ulva fasciata, 385; *lactuca*, 386; var. *rigida*, 385, 386, 387
Ungulina betulina, 485
Urostachys petiolatus, 372, 373
Utricularia, 258, 260; *mixta*, 257

Vaccinium oxycoccus, 519
Vallisneria, 199
Valonia ventricosa, 385, 387
Vaquelinia corymbosa, 61
Variation of leaves in *Delphinium variegatum*, 57–59
Vespa magnifica var. *nobilis*, 137
Vibrio cholerae, 477
Vicia faba, 199; *sepium*, 263; *villosa*, 263
Vidalia obtusiloba, 385, 397
Viola conspersa, 519; *striata*, 519; *triloba*, 519

Virus of tobacco mosaic, 345

WALKER, RUTH I.: Megasporogenesis and embryo development in *Tropaeolum majus* L., 240
Wikstroemia indica, 61
WILLIAMS, LOUIS G.: A collection of marine algae from Brazil, 383
WITKUS, E. R.: Polyploid mitosis in the normal development of *Mimosa pudica*, 279
WITTE, Sister MARIE BERNARD: A comparative cytological study of three species of the Chenopodiaceae, 443
WOLF, FREDERICK A.: Growth curves of oriental tobacco and their significance, 199

Xanthium spp., 409

Zephyranthes, 252
ZIMMERMAN, P. W.: Plant hormones, 180
Zonaria variegata, 392; *zonalis*, 385, 392
Zosterops japonica, 137